

=> s 17 and trifluoro?

902696 TRIFLUORO?

L8 26 L7 AND TRIFLUORO?

=> s 17 not 18

L9 25 L7 NOT L8


=> d scan

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN **D-Serinamide, 2-methylalanyl-N-[1-[2-(dimethylamino)-1-(4-fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)-, hydrochloride (9CI)**

MF C27 H33 F N6 O4 . x Cl H

Absolute stereochemistry.



●x HCl


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):24

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN **D-Norvalinamide, N-[(1,1-dimethylethoxy)carbonyl]-2-methylalanyl-N-[1-[2-ethoxy-1-(4-fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-5-phenyl- (9CI)**

MF C33 H42 F N5 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN D-Serinamide, 2-methylalanyl-N-[1-[(1S)-2-(dimethylamino)-1-(4-fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)- (9CI)
MF C27 H33 F N6 O4
CI COM

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1H-Imidazole-1-acetamide, α -(4-fluorophenyl)-N,N-dimethyl-4-nitro- (9CI)
MF C13 H13 F N4 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN D-Norvalinamide, 2-methylalanyl-N-[1-[1-(4-fluorophenyl)-2-(4-methyl-1-piperidinyl)-2-oxoethyl]-1H-imidazol-4-yl]-5-phenyl- (9CI)
MF C32 H41 F N6 O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, 2-methylalanyl-N-[1-[(1S)-1-(4-fluorophenyl)-2-(4-methyl-1-piperidinyl)-2-oxoethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)-, dihydrochloride (9CI)
 MF C31 H39 F N6 O4 . 2 Cl H

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A

● 2 HCl

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, N-[(1,1-dimethylethoxy)carbonyl]-2-methylalanyl-N-[1-[2-ethoxy-1-(4-fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)-
 (9CI)
 MF C32 H40 F N5 O7

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Norvalinamide, 2-methylalanyl-N-[1-[(1R)-1-(4-fluorophenyl)-2-(4-methyl-1-piperidiny)-2-oxoethyl]-1H-imidazol-4-yl]-5-phenyl-,
 dihydrochloride (9CI)
 MF C32 H41 F N6 O3 . 2 Cl H

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, N-[(1,1-dimethylethoxy)carbonyl]-2-methylalanyl-N-[1-[1-(4-fluorophenyl)-2-oxo-2-(1-pyrrolidinyl)ethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)- (9CI)
 MF C34 H43 F N6 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Norvalinamide, 2-methylalanyl-N-[1-[(1S)-2-(dimethylamino)-1-(4-fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-5-phenyl- (9CI)
 MF C28 H35 F N6 O3
 CI COM


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Norvalinamide, N-[(1,1-dimethylethoxy)carbonyl]-2-methylalanyl-N-[1-[carboxy(4-fluorophenyl)methyl]-1H-imidazol-4-yl]-5-phenyl- (9CI)
 MF C31 H38 F N5 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, 2-methylalanyl-N-[1-[(1R)-2-(dimethylamino)-1-(4-fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)- (9CI)
 MF C27 H33 F N6 O4
 CI COM


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Norvalinamide, N-[(1,1-dimethylethoxy)carbonyl]-2-methylalanyl-N-[1-[2-(dimethylamino)-1-(4-fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-5-phenyl- (9CI)
 MF C33 H43 F N6 O5

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Norvalinamide, 2-methylalanyl-N-[1-[2-(dimethylamino)-1-(4-fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-5-phenyl-, hydrochloride (9CI)

MF C28 H35 F N6 O3 . x Cl H

Absolute stereochemistry.




● x HCl

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, 2-methylalanyl-N-[1-[1-(4-fluorophenyl)-2-oxo-2-(1-pyrrolidinyl)ethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)-, dihydrochloride (9CI)

MF C29 H35 F N6 O4 . 2 Cl H


Absolute stereochemistry.



● 2 HCl

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, N-[(1,1-dimethylethoxy)carbonyl]-2-methylalanyl-N-[1-[carboxy(4-fluorophenyl)methyl]-1H-imidazol-4-yl]-O-(phenylmethyl)-
 (9CI)
 MF C30 H36 F N5 O7


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Norvalinamide, 2-methylalanyl-N-[1-[(1S)-1-(4-fluorophenyl)-2-(4-methyl-1-piperidinyl)-2-oxoethyl]-1H-imidazol-4-yl]-5-phenyl-,
 dihydrochloride (9CI)
 MF C32 H41 F N6 O3 . 2 Cl H


Absolute stereochemistry.



● 2 HCl

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, N-[(1,1-dimethylethoxy)carbonyl]-2-methylalanyl-N-[1-[2-(dimethylamino)-1-(4-fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)- (9CI)
 MF C32 H41 F N6 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Norvalinamide, 2-methylalanyl-N-[1-[(1R)-2-(dimethylamino)-1-(4-fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-5-phenyl- (9CI)
 MF C28 H35 F N6 O3
 CI COM


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Norvalinamide, N-[(1,1-dimethylethoxy)carbonyl]-2-methylalanyl-N-[1-[1-(4-fluorophenyl)-2-(4-methyl-1-piperidinyl)-2-oxoethyl]-1H-imidazol-4-yl]-5-phenyl- (9CI)
 MF C37 H49 F N6 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, 2-methylalanyl-N-[1-[1-(4-fluorophenyl)-2-(4-methyl-1-piperidinyl)-2-oxoethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)- (9CI)
 MF C31 H39 F N6 O4

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, 2-methylalanyl-N-[1-[(1R)-1-(4-fluorophenyl)-2-(4-methyl-1-piperidinyl)-2-oxoethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)-, dihydrochloride (9CI)
 MF C31 H39 F N6 O4 . 2 Cl H

Absolute stereochemistry.


PAGE 1-A



PAGE 2-A

● 2 HCl


L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 1H-Imidazole-1-acetic acid, α -(4-fluorophenyl)-4-nitro-, ethyl
 ester (9CI)
 MF C13 H12 F N3 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, 2-methylalanyl-N-[1-[2-(dimethylamino)-1-(4-
 fluorophenyl)-2-oxoethyl]-1H-imidazol-4-yl]-O-(phenylmethyl)-,
 dihydrochloride (9CI)
 MF C27 H33 F N6 O4 . 2 Cl H


Absolute stereochemistry.



● 2 HCl

L9 25 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN D-Serinamide, N-[(1,1-dimethylethoxy)carbonyl]-2-methylalanyl-N-[1-[1-
 (4-fluorophenyl)-2-(4-methyl-1-piperidiny)-2-oxoethyl]-1H-imidazol-4-yl]-
 O-(phenylmethyl)- (9CI)
 MF C36 H47 F N6 O6

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED